

PRESS RELEASE

New Front Mounted Disc Mower Range from Kverneland Taarup

02.09.2010, Kerteminde, Denmark



Kverneland Taarup 3632 FT

Kverneland Group is now introducing a new range of Kverneland Taarup front mounted mower conditioners in working widths from 2.8 – 3.6 m. A new mower offering improved design of the suspension and more accurate ground followings. In addition the new Kverneland Taarup cutterbar, with improved cutting performance, and the SemiSwing steel tine conditioner or chevron roller conditioner is also fitted onto the range. This adds up to a very professional solution, ideal in a combination with a rear mounted mower conditioner.

Complete Disc Mower Range Renewed within 4 Years

The complete range of disc mowers has been renewed during the last 4 years. In 2006 the reworked and improved cutterbar and the entirely new SemiSwing steel tine conditioner concept were introduced. Since then the complete range has been reworked, and the new cutterbar has been introduced into all models. This means the complete range of Kverneland Taarup disc mowers has been either reworked or completely renewed during this short period.

The SemiSwing Steel Tine Conditioner

The new conditioner concept, SemiSwing, introduced with the trailed range 4 years ago, is also fitted onto the new front mounted models. The tines are made of high quality steel with low wear and high resistance, and have proven to have significantly reduced maintenance costs. The concept is combining the best of free swinging systems and

fixed tines. In working position the tines are fixed, and offers a very aggressive conditioning, and in case of hitting an obstacle the tines will swing back and allow the obstacle to pass through. The benefit is aggressive conditioning effect and low maintenance costs with reduced downtime.

The 3632 FR machine with chevron roller conditioner is the perfect solution for gentle but effective conditioning of fragile crops such as lucerne or alfalfa

New Suspension for Better Ground Followings

The suspension of the Kverneland Taarup 3628 FT, 3632 FT/FR and 3636 FT has been redesigned to offer better ground following in 3 dimensions. The suspension reacts faster to any unevenness in the field, and higher speeds can be reached.

The new design, with two heavy duty suspension springs moved further outwards on the mowing section, provides better side stability, as well as a more even ground pressure across the entire front mower. The suspension design also allows an exceptional transverse adaptation of 12° up and down. The benefit is optimal protection of the stubble and far less skid wear.

The BreakBack solution protects the cutterbar from foreign obstacles. If hitting an obstacle the cutterbar will swing upwards and over the obstacle, and then return to its original position. No need to stop - no time lost.

The clearance for headland turns and transport has been increased to 350 without using the linkage of the tractor.

The new front mounted range has been given a very modern and attractive design with a perfect view of the mowing area, and is factory fitted with variable conditioner speed.

Kverneland Taarup 3628 FT - 3632 FR/FT – 3636 FT – Specifications in Brief:

	Kverneland Taarup 3628 FT	Kverneland Taarup 3632 FT	Kverneland Taarup 3632 FR	Kverneland Taarup 3636 FT
Working Width	2.8 m	3.2 m	3.2 m	3.6 m
Transport Width	2.7 m	3.0 m	3.0 m	3.4 m
Weight	1085	1205 kg	1420	1325
Number of Discs	7	8	8	9
Power Requirements kW/HP	50/70	55/80	60/85	67/90
PTO Speed	1000 Rpm	1000 Rpm	1000 Rpm	1000 Rpm
Conditioner	SemiSwing steel tine conditioning	SemiSwing steel tine conditioning	Chevron roller conditioning	SemiSwing steel tine conditioning
Conditioner Speed	600/900 Rpm	600/900 Rpm	600/900 Rpm	600/900 Rpm



Kverneland Group (Kverneland ASA - OSE: KVE) is a leading international company developing, producing and distributing agricultural machinery and services. Strong focus on innovation allows us to provide a unique and broad product range with high quality. Kverneland Group offers an extensive package of systems and solutions to the professional farming community. The offering covers soil preparation, seeding, forage- and bale equipment, spreading and spraying. For more information on Kverneland Group visit www.kvernelandgroup.com

- - END - -

For more information, contact:

Carsten Rasmussen
Product Manager, Kverneland Taarup Disc Mowers
Kverneland Group Kerteminde
Phone: +45 65 1919 07
E-Mail: carsten.rasmussen@Kvernelandgroup.com