

PRESS RELEASE

Low Ownership Costs and High Performance Hallmarks of 5087M from Kverneland Taarup.

15.09.2011, Kerteminde, Denmark



Kverneland Taarup 5087 M

Kverneland introduces its new flagship, the new plain disc mower butterfly. A combination that provides efficient performance with its 8.75m working width paired with a low weight design. The Kverneland Taarup 5087 M is purpose built to low operating costs in terms of power and fuel consumption, with power requirements starting at only 110 hp.

Designed to match the needs of large-scale mowing, the new Kverneland Taarup 5087 M is packed with features to meet these demands. The centre suspended mowing units in combination with the Kverneland Taarup cutterbar with round discs offers an unmatched mowing performance. The Kverneland Taarup BreakBack solution protects the cutterbar from foreign obstacles, and automatically returns the mowing unit to working position. The Kverneland Taarup cutterbar offers smooth operation with very low noise, convenient during a long working day.

The new Kverneland Taarup 5087 M is an eco-friendly, energy saving solution able to work on tractors with as little as 110hp. The low weight of only 1600kg together with the ideal weight distribution that butterfly combinations offer gives the optimum combination of low power requirements, low weight and high efficiency.



The 5087 M can be adjusted for optimal operation according to different circumstances such as field contours or working width of the front mounted mower. To ensure optimal overlap between front and rear units, the mowing units can be mounted in two positions on the suspension arm

The mowing units are centre suspended via a suspension spring, to give an even weight distribution across the complete mower width. Faster and more precise adaptation to ground contours is also achieved because of the centre suspended design. The benefit is less skid wear and optimum protection of the stubble.

The Kverneland Taarup feature of a BreakBack device protects the cutterbar from foreign obstacles. If hitting an obstacle, the Breakaway device will swing the machine backwards and over the obstacle and automatically return the mower to working position, when the obstacle has been passed.

For transport the mower fold into a compact position well behind the tractor, and below 4.00m height and 3.00m width.

Kverneland Taarup 5087 M, Specifications in Brief:

	Kverneland Taarup 5087 M
Working Width	8.75m
Weight	1600kg
Power Requirements	81kW/110 hp
Number of discs per mowing unit	8 round discs

Kverneland Group (Kverneland ASA - OSE: KVE) is a leading international company developing, producing and distributing agricultural machinery and services. Strong focus on innovation allows us to provide a unique and broad product range with high quality. Kverneland Group offers an extensive package of systems and solutions to the professional farming community. The offering covers soil preparation, seeding, forage- and bale equipment, spreading and spraying. For more information on Kverneland Group visit www.kvernelandgroup.com

-- END --

For more information, contact:

Carsten Rasmussen
Product Manager, Kverneland Taarup Disc Mowers
Phone: + 49 65 19 19 07
E-Mail: carsten.rasmussen@kvernelandgroup.com